

01 PE IAP 98 03
FEB 07 2007
INVESTIGATION OFFICE
IN

PATENT

In re Application of:

Examiner: M. Nguyen

Group Art Unit: 2625

:

•

•

•

February 6, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The following minor errors have been noted in the above-identified patent:

COLUMN 13

Line 27, “may” should read --many--.

COLUMN 16

Line 10, “may” should read --many--.

Certificate


FEB 26 2007

of Correction

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should be directed to
our new address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Michael K. O'Neill", written over a horizontal line.

Attorney for Patentees
Michael K. O'Neill
Registration No.: 32,622

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 127400v1